HIGH WALL AIR CONDITIONERS, COOLING ONLY

An efficient solution for more comfortable living

Amazon High Wall Mini-Split Air Conditioners R-410A (60HZ)



A broad line of user-friendly, earth-friendly units



Indoor Unit

- Modern, compact design
- Efficient cooling
- Auto restart
- Low noise
- Air sweep

Remote Control

- 4 operation modes
- Sleep mode and on/off timers
- Turbo cool settings
- LED display

Condensing Unit

- Quiet operation
- High efficiency
- Convenient installation
- Easy maintenance
- Valve protection cover

The YORK[®] line of Mini Splits Air Conditioners includes a wide range of sizes to give you more flexibility in your product offering. Each model is designed to provide comfort and efficiency, in an easy-to-operate unit and the sleek design fits a variety of spaces, whether it's in a home or office. Models meet the highest energy efficiency ratings, so less energy is consumed without sacrificing comfort and performance. Both the condensing units and indoor units are engineered for quiet operation. And comfort control settings are easily changed with the touch of a button on the remote control.

We create environments that help achieve a higher level of comfort.

No one knows building environments better than Johnson Controls. For more than 125 years, we've been in the business of building efficiency, delivering healthier environments, operational savings and sustainable solutions for our partners all over the world. In fact, we serve over one million customers and help the world reduce its energy consumption, saving customers over \$7.5 billion in energy costs.

FEATURES AND BENEFITS



24-Hour Timer

Allows programmed start times up to 24 hours in advance for flexible and more convenient operation.



Child Lock

If the lock button on the remote control is pressed, it must be pressed again before use, which helps prevent accidental operation.



Multi-Speed Fan

Multi-speed fan helps satisfy various airflow requirements.



Auto Restart

Unit is automatically returned to previous operating conditions after a power outage, for simplified operation.



Super Quiet

Technology and compact design reduce noise level to as low as 22 decibels for a super quiet and comfortable user experience.



Self Diagnosis

Clearly displayed failure codes allow for quicker troubleshooting and easier maintenance.



3-Minute Protection

A 3-minute delay before the compressor will restart helps avoid compressor damage and work time.



R-410A

Environmentally-friendly refrigerant cools and heats more efficiently without destroying the ozone layer.

Intelligent Sleep Mode

Air temperature is automatically controlled according to the sleep curve for maximum comfort, reduced noise, and energy savings. Intelligent Night operation function can reduce noise up to 5dB/A.



Specifications

| Model Name | Set | YH9FZC09BAH-AFX | YH9FZC12BAH-AFX | YH9FZC18BAH-AFX | YH9FZC24BAH-AFX |
|---------------------------------|---------|-----------------|-----------------|-----------------|-----------------|
| | Outdoor | YH9FYC09BAH-A-X | YH9FYC12BAH-A-X | YH9FYC18BAH-A-X | YH9FYC24BAH-A-X |
| | Indoor | YH9FXC09BAHFX | YH9FXC12BAHFX | YH9FXC18BAHFX | YH9FXC24BAHFX |
| Power Supply | V-Ph-Hz | 230-1-60 | 230-1-60 | 230-1-60 | 230-1-60 |
| Cooling Capacity | Btu/h | 9000 | 11,970 | 17,020 | 23,013 |
| Cooling Input Power | W | 930 | 1,202 | 1,693 | 2,354 |
| EER | W/W | 2.84 | 2.92 | 2.95 | 2.86 |
| Compressor Type | - | Rotary | | | |
| Refrigerant | - | R-410A | | | |
| Air Flow Volume | m3/h | 550 | 600 | 1150 | 1300 |
| Indoor Noise Level | dB(A) | 33/31/29 | 36/33/31 | 42/39/36 | 49/45/40 |
| Outdoor Noise Level | dB(A) | 50 | 50 | 53 | 56 |
| Refrigerant Pipe Size (Liq/Gas) | ømm | ø6.35/ø9.52 | ø6.35/ø12.7 | ø6.35/ø12.7 | ø6.35/ø15.9 |
| Indoor Dimension (WxHxD) | mm | 810x200x280 | 855x200x280 | 997x230x322 | 1115x243x336 |
| Outdoor Dimension (WxHxD) | mm | 695x245x430 | 780x245x540 | 780x245x640 | 810x288x688 |
| Net Weight (ID/OD) | kg | 10.5/23.5 | 11.5/27.3 | 12.4/35.0 | 16.0/45.6 |

Nominal testing conditions:

Cooling - Indoor 80.6°F DB / 66.2°F WB (27°C DB / 19°C WB) & Outdoor 95°F DB / 75.2°F WB (35°C DB / 24°C WB)

For more information about Mini Splits Air Conditioners, please contact your local Johnson Controls representative.

About Johnson Controls

Johnson Controls is a leading provider of equipment, controls and services for heating, ventilating, air-conditioning, refrigeration and security systems for buildings. Operating from 500 branch offices in 150 countries, we create building environments that help people achieve more by delivering products, services and solutions that increase energy efficiency and lower operating costs. We are involved in more than 500 renewable energy projects including solar, wind and geothermal technologies. Our solutions have reduced carbon dioxide emissions by 13.6 million metric tons and generated savings of \$7.5 billion since 2000. Many of the world's largest companies rely on us to manage 1.5 billion square feet of their commercial real estate.



Printed on recycled paper.